EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16	(name with identifi$6) same (attributes with values) same memory and @ad < "20030220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:52
L2	6	(name with identifi$6) same (attributes with values) same memory and @ad < "20030220" and (program with execution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L3	30	(name with identifi$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L4	3464	(name with identifi$6) and (attributes with values) and memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L5	251	(name with identifi$6) and (attributes with values) and memory and @ad < "20030220" and (program with execution) and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L6	24	(name with identifi$6) same (attributes with values) and memory and @ad < "20030220" and (program with execution) and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L7	3	(name with identifi$6) same (attributes with values) same (program with execution) and memory and @ad < "20030220" and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53

L8	300	(name with identifi$6) and (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L9	0	name with identifi$6 with attributes with values with memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L10	4	("6325594" or "6857012").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L11	2	"20040024812"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L12	2	"6,325,594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L13	49	van.in. and huben.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L14	2	"20040167900"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53

L15	2	"6327594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L16	2	"6,857,012".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L17	1	707/101.ccls. and (name with identifi$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L18	2	"6,327,594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L19	2	"6360363".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L20	2	"20030167455"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L21	2	"7047522".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53

L22	2	"6,754,659".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L23	24	(name with identifi$6) same (attributes with values) and memory and @ad < "20030220" and (program with execution) and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L24	2	"6360363".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L25	251	(name with identifi$6) and (attributes with values) and memory and @ad < "20030220" and (program with execution) and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L26	2	"6,857,012".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L27	2	"6,325,594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L28	30	(name with identifi$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53

L29	2	"6,857,012".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L30	2	"6,327,594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L31	3	(name with identifi$6) same (attributes with values) same (program with execution) and memory and @ad < "20030220" and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L32	3464	(name with identifi$6) and (attributes with values) and memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L33	6	(name with identifi$6) same (attributes with values) same memory and @ad < "20030220" and (program with execution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L34	16	(name with identifi$6) same (attributes with values) same memory and @ad < "20030220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L35	2	"7047522".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53

L36	2	"6,327,594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L37	2	"6327594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L38	300	(name with identifi$6) and (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L39	2	"20040024812"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L40	2	"20030167455"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L41	4	("6325594" or "6857012").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L42	2	"20030167455"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53

EAST Search History

L43	49	van.in. and huben.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L44	0	name with identifi$6 with attributes with values with memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L45	2	"6360363".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L46	300	(name with identifi$6) and (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L47	2	"20040167900"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L48	251	(name with identifi$6) and (attributes with values) and memory and @ad < "20030220" and (program with execution) and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L49	1	707/101.ccls. and (name with identifi$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53

L50	3464	(name with identifi$6) and (attributes with values) and memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L51	2	"6,754,659".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L52	2	"7047522".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L53	1	707/101.ccls. and (name with identifi$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L54	6	(name with identifi$6) same (attributes with values) same memory and @ad < "20030220" and (program with execution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L55	49	van.in. and huben.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L56	2	"6,325,594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53

L57	2	"20040024812"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L58	2	"20040167900"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L59	3	(name with identifi$6) same (attributes with values) same (program with execution) and memory and @ad < "20030220" and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L60	2	"6327594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L61	4	("6325594" or "6857012").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L62	0	name with identifi$6 with attributes with values with memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L63	24	(name with identifi$6) same (attributes with values) and memory and @ad < "20030220" and (program with execution) and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53

L64	30	(name with identifi$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L65	16	(name with identifi$6) same (attributes with values) same memory and @ad < "20030220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
L66	2	"6,754,659".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S1	0	name with identifi$6 with attributes with values with memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 10:19
S2	3076	(name with identifi$6) and (attributes with values) and memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 10:20
S3	252	(name with identifi$6) and (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 10:20
S4	21	(name with identifi$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/29 16:16

S5	14	(name with identifi$6) same (attributes with values) same memory and @ad < "20030220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 10:21
S6	5	(name with identifi$6) same (attributes with values) same memory and @ad < "20030220" and (program with execution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 10:24
S7	244	(name with identifi$6) and (attributes with values) and memory and @ad < "20030220" and (program with execution) and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 10:25
S8	23	(name with identifi$6) same (attributes with values) and memory and @ad < "20030220" and (program with execution) and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 10:25
S9	3	(name with identifi$6) same (attributes with values) same (program with execution) and memory and @ad < "20030220" and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 14:31
S10	2	"20040024812"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 14:37
S11	4	("6325594" or "6857012").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 16:25

EAST Search History

S13	2	"6,325,594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 07:34
S14	48	van.in. and huben.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 14:47
S15	2	"20040167900"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/29 17:20
S16	2	"6327594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/29 17:19
S17	2	"6,857,012".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 20:03
S18	1	707/101.ccls. and (name with identifi$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/29 16:17
S19	2	"6,327,594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/29 17:12

S20	2	"6360363".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/29 17:21
S21	2	"20030167455"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/29 17:20
S22	2	"7047522".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/29 17:21
S23	2	"6,754,659".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 07:35
S24	16	(name with identifi$6) same (attributes with values) same memory and @ad < "20030220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S25	6	(name with identifi$6) same (attributes with values) same memory and @ad < "20030220" and (program with execution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S26	30	(name with identifi$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27

S27	3464	(name with identifi$6) and (attributes with values) and memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S28	251	(name with identifi$6) and (attributes with values) and memory and @ad < "20030220" and (program with execution) and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S29	24	(name with identifi$6) same (attributes with values) and memory and @ad < "20030220" and (program with execution) and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S30	3	(name with identifi$6) same (attributes with values) same (program with execution) and memory and @ad < "20030220" and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S31	300	(name with identifi$6) and (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S32	0	name with identifi$6 with attributes with values with memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S33	4	("6325594" or "6857012").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27

S34	2	"20040024812"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S35	2	"6,325,594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S36	49	van.in. and huben.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S37	2	"20040167900"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S38	2	"6327594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S39	2	"6,857,012".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S40	1	707/101.ccls. and (name with identifi$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27

S41	2	"6,327,594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S42	2	"6360363".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S43	2	"20030167455"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S44	2	"7047522".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S45	2	"6,754,659".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S46	16	(name with identifi$6) same (attributes with values) same memory and @ad < "20030220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S47	6	(name with identifi$6) same (attributes with values) same memory and @ad < "20030220" and (program with execution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28

EAST Search History

S48	30	(name with identifi$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S49	3464	(name with identifi$6) and (attributes with values) and memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S50	251	(name with identifi$6) and (attributes with values) and memory and @ad < "20030220" and (program with execution) and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S51	24	(name with identifi$6) same (attributes with values) and memory and @ad < "20030220" and (program with execution) and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S52	3	(name with identifi$6) same (attributes with values) same (program with execution) and memory and @ad < "20030220" and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S53	300	(name with identifi$6) and (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S54	0	name with identifi$6 with attributes with values with memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28

S55	4	("6325594" or "6857012").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S56	2	"20040024812"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S57	2	"6,325,594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S58	49	van.in. and huben.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S59	2	"20040167900"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S60	2	"6327594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S61	2	"6,857,012".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28

EAST Search History

S62	1	707/101.ccls. and (name with identifi$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S63	2	"6,327,594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S64	2	"6360363".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S65	2	"20030167455"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S66	2	"7047522".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S67	2	"6,754,659".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28